REMARKS

Claims 1-6 and 8-20 are presented for examination. Claim 7 was cancelled in a previous

amendment. Claims 1 and 12 have been amended in order to more particularly point out, and

distinctly claim the subject matter to which the applicants regard as their invention. The

amendments to claims 1 and 12 are based on p. 9, lines 18-22, and p.11, lines 13 to 19, of the

specification.

The applicants respectfully submit that no new matter has been added. It is believed that this

Amendment is fully responsive to the Office Action dated July 3, 2006.

Claims 1-6 and 8-20 define a conductive resin composition. In particular, the claims recite

a separator for a fuel cell comprising a conductive resin composition wherein a hydroxyl value of

epoxy(meth)acrylate is controlled in order to obtain a molded article having improved durability due

to increased corrosion resistance.

Claim 10 is objected to because of the following informalities: In claim 10, when the

total B, C, D components are used in amount of 51 wt% and minimum amount of component

A is 50 wt%, the total exceeds 100 wt%.

In a previous amendment filed on May 30, 2006, the applicants amended claim 10 so that

"the total percentage of (A), (B), (C), and (D) is 100%." As amended, claim 10 limits the total

-8-

percentage to equal 100%. Therefore, claim 10 limits the claimed invention from being a

"summation of boundary value of component A to 50 wt% with maximum amount of components

B, C, D," which would result in 101 wt%, a value beyond the scope claim 10. (Second Office

Action, p.2, lines 7-9).

For this reason, we respectfully request that this objection be reconsidered and withdrawn.

Claims 1-4 and 8-20 are rejected under 35 USC 103(a) as being obvious in light of

Okumura, et al. (U.S. Patent Applicantion 2002/0055030) in view of Hendershot, et al. (U.S.

Patent No. 6,441,060), Hefner, Jr., et al. (U.S. Patent No. 4,618,658), and Nagasawa, et al. (U.S.

Patent No. 4,205,018).

As amended, claims 1 and 12 limit the hydroxyl value of epoxy(meth)acrylate, and adjust the

amount of polyisocyanate in relation to the number of hydroxyl group of the epoxy(meth)acrylate.,

in order to achieve an unexpected result of an increase in mechanical strength due to less water

absorption or hydrolysis.

Okumura, Hendershot, Hefner, Jr., and Nagasawa fail to teach the present invention

recited in amended claims 1 and 12 because the combined disclosure of the references do not

disclose the unexpected result of the claimed invention. Okumura, Hendershot, Hefner, Jr., and

Nagasawa, in combination, teach a conductive resin comprising a conductive filler, urethane-

modified epoxy (meth)acrylate resin, a (meth)acrylate, and other ethylenically unsaturated monomer

-9-

which is copolymerizable with the urethane-modified epoxy(meth)acrylate (B) and the

(meth)acrylate (C). In regards to the motivation to combine the references, the Office Action points

out that Henderson and Nagasawa disclose improved bench life, curability, and solvent resistivity

in binders comprised of urethane-modified epoxy(meth)acrylate. Unlike the claimed invention, the

combined disclosure of the cited references do not teach that an increase in mechanical strength can

be achieved by decreasing water absorption or hydrolysis through reaction of the hydroxyl group of

the epoxy (meth)acrylate with a polyisocyanate resulting in less hydroxyl groups than

epoxy(meth)acrylate.

The claimed invention is directed toward improving durability of the resin composition by

decreasing the number of hydroxyl groups. In particular, the specification describes that prior art

separators are "inferior in corrosion resistance, particularly durability such as hydrolysis resistance."

because epoxy(meth)acrylate resin generally has a lot of hydroxyl groups and, therefore, the molded

article made of the resin has high water absorption and decreased strength thereby. (Specification,

lines 20-25). Accordingly, in the claimed invention, epoxy(meth)acrylate is reacted with

polyisocyanate specifically in order to decrease the number of hydroxyl groups. In other words, in

a patentable distinction over the combined disclosure of the cited references, claims 1 and 12 limit the hydroxyl value of epoxy(meth)acrylate, and adjust the amount of polyisocyanate in relation to

the number of hydroxyl group of the epoxy(meth)acrylate, in order to achieve an unexpected result

of an increase in mechanical strength due to less water absorption or hydrolysis. (See Specification.

p. 30-32, Tables 1-4).

-10-

Okumura, Hendershot, Hefner, Jr., and Nagasawa fail to teach the present invention

recited in claims 1-4 and 8-20 because the combined disclosure of the references do not disclose that

an increase in mechanical strength can be achieved by decreasing water absorption or hydrolysis

through reaction of the hydroxyl group of the epoxy (meth)acrylate with a polyisocyanate resulting

in less hydroxyl groups than epoxy(meth)acrylate.

It is respectfully requested that this rejection be reconsidered and withdrawn.

Claim 6 is rejected under 35 USC 103(a) as being unpatentable over Okumura in view

of Hendershot, Hefner, Jr., Nagasawa, and further in view of Takeshi, et al. (JP 2000-351843).

As discussed above, Okumura, Hendershot, Hefner, Jr., Nagasawa, and Takeshi, fail to

teach the present invention recited in claim 6 because the combined disclosure of the references do

not disclose limiting the hydroxyl value of the epoxy(meth)acrylate, and adjusting the amount of

polyisocyanate in relation to the number of hydroxyl group of the epoxy(meth)acrylate.

It is respectfully requested that this rejection be reconsidered and withdrawn.

Claim 5 is rejected under 35 USC 103(a) as being unpatentable over Okumura in view

of Hendershot, Hefner, Jr., Nagasawa, and further in view of Toshiro, et al. (JP 03-199230).

As discussed above, Okumura, Hendershot, Hefner, Jr., Nagasawa, and Toshiro, fail to

teach the present invention recited in claim 5 because the combined disclosure of the references do

-11-

U.S. Patent Application Serial No. 10/532,084 Amendment filed October 3, 2006

Reply to OA dated July 3, 2006

not disclose limiting the hydroxyl value of the epoxy(meth)acrylate, and adjusting the amount of

polyisocyanate in relation to the number of hydroxyl group of the epoxy(meth)acrylate.

It is respectfully requested that this rejection be reconsidered and withdrawn.

In view of the aforementioned amendments and accompanying remarks, claims 1-6 and 8-20,

as amended, are in condition for allowance, which action, at an early date, is requested.

If, for any reason, it is felt that this application is not now in condition for allowance, the

Examiner is requested to contact the applicants undersigned attorney at the telephone number

indicated below to arrange for an interview to expedite the disposition of this case.

-12-

U.S. Patent Application Serial No. 10/532,084 Amendment filed October 3, 2006 Reply to OA dated July 3, 2006

In the event that this paper is not timely filed, the applicants respectfully petition for an appropriate extension of time. Please charge any fees for such an extension of time and any other fees which may be due with respect to this paper, to Deposit Account No. 01-2340.

Respectfully submitted,

ARMSTRONG, KRATZ, QUINTOS,

HANSON & BROOKS, LLP

Attorney for Applicant Reg. No. 18,366

JEA/gia Atty. Docket No. 050251 Suite 1000 1725 K Street, N.W. Washington, D.C. 20006

(202) 659-2930

23850

PATENT TRADEMARK OFFICE

Enclosures: Request for Continued Prosecution

Q:\FLOATERS\GAN\05\050251\050251_amendment_100306